

# MITSUBISHI L300



*Ang maaasahan sa negosyo.*



**MITSUBISHI**  
**L300 FB**



- Rounded roof corners
- Rounded corner posts
- Gutterless roof
- Recessed sliding windows
- Re-contoured side panels
- Spray-on Rhino-lining on side and flooring
- Moulded plastic trims on front panel and back door
- Door lock mechanism for rear door



- Optional rear aircon system

*Para sa kahit anong negosyo.*



**MITSUBISHI**  
**L300** ***PET***



• Wide tailgate opening



**MITSUBISHI**  
**L300** ***WT***



- Thick aluminum flat panels
- Engineered rigid frame structure
- Rivetless body construction
- Side marker lamps
- Heavy duty rear door cam locks
- Heavy duty door hinges
- Full door swing opening
- Self sealing rear door weatherstrip
- Thick rubber rear bumpers
- Thick gauge cargo flooring

**MITSUBISHI**  
**L300** ***AF***



- Combination flat/corrugated side panels
- Engineered rigid frame structure
- Top marker lamps
- Heavy duty rear door cam locks
- Heavy duty door hinges
- Full door swing opening
- Self sealing rear door weatherstrip
- Thick gauge cargo flooring



**mitsubishi**  
**L300 DT**

Variable configurations:



**Introducing the new L300 Dump Truck**  
Ideal for small district garbage hauling or light construction jobs. Can be configured as a high side or low side dump truck with thick gauge sheets for durability.

*Sigurado sa tibay!*



Japan-made heavy duty and highly efficient 12V electric motor drives the hydraulic pump and cylinders to raise the dump truck vessel.



MODEL		L300 CAB / CHASSIS
<b>GENERAL SPECIFICATIONS</b>		
Gross Weight	(kg)	2205
Wheelbase	(mm)	2200
Tread (Front/Rear)	(mm)	1440/1380
Ground Clearance	(mm)	195
Fuel Tank Capacity		55 Liters
<b>ENGINE</b>		
Model & Type	4D56 SOHC, Diesel - EURO 1 compliant	
Fuel System	Rotary Type Injection System	
Displacement	(cc)	2,477
Bore x Stroke	(mm)	91.1 x 95.0
Compression Ratio		21.0:1
Max. Power	PS/rpm	72/4200
Max. Torque	Kg-m/rpm	15.0/2000
<b>TRANSMISSION</b>		
Type	5 Speed Manual	
Gear Ratios	1st	4.330
	2nd	2.355
	3rd	1.509
	4th	1.000
	5th	0.827
	Reverse	4.142
Final	4.625	
<b>SUSPENSION</b>		
Front	Independent Wishbone and Coil Spring w/ Stabilizer	
Rear	Semi-Elliptic Leaf Spring	
<b>BRAKES</b>		
Front	10" Ventilated Disc	
Rear	10" Drums, Leading and Trailing	
Brake Booster	9" Master Vac.	
<b>STEERING</b>		
Gear Type	Ball & Nut Gear Type with Power Steering	
Steering Wheel	2-Spoke	
<b>WHEELS AND TIRES</b>		
Tires	5.0J x 14" Steel Rims	
Wheels	185R14C-8PR	
SAFETY	Front seatbelts	

OPTIONAL REAR BODIES						
		FB	PET	WT	AF	DT
Overall Length	(mm)	4120	4110	4145	4335	4270
Overall Width	(mm)	1670	1675	1680	1675	1702
Overall Height	(mm)	1970	1965	2200	2240	1925
Curb Weight	(kg)	1350	n/a	1410	1430	1430
<b>INTERIOR</b>						
<b>L300 FB</b> • New rear aircon system • Spray-on Rhino-lining on side and flooring • New moulded plastic trims on front panel and back door • New door lock mechanism for rear door						
<b>L300 WT</b> • Optional white kibi board interior • Cargo lamp • Optional cargo lashing hooks • Thick gauge cargo flooring						
<b>L300 AF</b> • Plywood interior • Cargo lamp • Optional cargo lashing hooks • Thick gauge cargo flooring						
<b>EXTERIOR</b>						
<b>L300 FB</b> • Rounded roof corners • Rounded corner post • Gutterless roof • Recessed sliding windows • Re-contoured side panels						
<b>L300 PET</b> • Rounded roof corners • Rounded corner post • Gutterless roof • Wide tailgate opening						
<b>L300 WT</b> • Thick aluminum flat panels • Engineered rigid frame structure • Rivetless body construction • Side marker lamps • Heavy duty rear door cam locks • Heavy duty door hinges • 50:50 full door swing opening • Self-sealing rear door weatherstrip • Thick rubber bumpers						
<b>L300 AF</b> • Combination flat/corrugated side panels • Engineered rigid frame structure • Side marker reflectors • Heavy duty rear door cam locks • Heavy duty door hinges • 60:40 full door swing opening • Self-sealing rear door weatherstrip						
1. Mitsubishi Motors Philippines Corporation reserves the right to alter any specifications without prior notice.						
2. Colors shown in this brochure may slightly differ from the actual unit.						
3. Vehicles shown in this brochure is fitted with optional equipment and accessories.						

© July 2006 – L3-05 Mitsubishi Motors Philippines Corporation



**On Quality :**  
We seek excellence in our products and services and recognize that Customer Satisfaction is the essence of our mission.

